ETHICON

PART OF THE Johnson Johnson FAMILY OF COMPANIES

Version 1.3

Revision Date: 2015/07/15

SDS Number: 100000011596

Date of last issue: 2015/06/05 Date of first issue: 2015/06/02

SECTION 1. IDENTIFICATION

Substance name : PRINEO Skin Closure System Adhesive

Dermabond

AHV6 AHV12 DHV12 AHVM12 DPP6 DPPXL6 APP6 APPXL6

OC005\PM60574

DNX6 DNX12 ANX6 ANX12 OC017 DHVM12

Manufacturer or supplier's details

Company name of supplier : Ethicon Cornelia, USA

Address : 655 Ethicon Circle

Cornelia, GA 30531

Telephone : 877-384-4266

Telefax :

Emergency telephone

number

E-mail address Responsi-

ble/issuing person

: SDSJanssen@its.jnj.com

Recommended use of the chemical and restrictions on use

Recommended use : Skin closure system

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Aspiration hazard : Category 1

Chronic aquatic toxicity : Category 3

Specific target organ toxicity

- single exposure

Category 3

Skin irritation : Category 2



PART OF THE Johnson Johnson FAMILY OF COMPANIES

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2015/06/05

 1.3
 2015/07/15
 100000011596
 Date of first issue: 2015/06/02

GHS Label element

Hazard pictograms





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equip-

ment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Danger. Cyanoacrylate. Bonds skin and eyes in seconds. Keep out of the reach of children. Adhesive will polymerize on contact with skin and eyes, and could bond with other surfaces. May be irritating to respiratory system.

Vapours may cause drowsiness and dizziness.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Liquid

Hazardous components



PART OF THE Johnson Johnson FAMILY OF COMPANIES

Version Revision Date: SDS Number: Date of last issue: 2015/06/05 1.3 2015/07/15 100000011596 Date of first issue: 2015/06/02

Chemical Name	CAS-No.	Concentration (%)
Hydrocarbon solvent	Not Assigned	>= 10 - < 20

SECTION 4. FIRST AID MEASURES

If inhaled : If breathed in, move person into fresh air.

If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off immediately with plenty of water. If symptoms persist, call a physician.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 5 minutes. Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : If swallowed, rinse mouth with water (only if the person is con-

scious).

Call a physician immediately.

Most important symptoms and effects, both acute and

delayed

: No information available.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire-

fighting

: Heating can release hazardous gases.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

: Remove undamaged containers from fire area if it is safe to do

SO.

Further information : Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Firefighters must wear fire resistant personal protective

equipment.



Version Revision Date: SDS Number: Date of last issue: 2015/06/05 2015/07/15 100000011596 Date of first issue: 2015/06/02 1.3

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: In the event of an accidental release the emergency response team must respond based on a risk assessment and use per-

sonal protective equipment as appropriate. Do not breathe vapours or spray mist. Evacuate personnel to safe areas. Ensure adequate ventilation.

Do not flush into surface water or sanitary sewer system. Environmental precautions

> Prevent further leakage or spillage if safe to do so. Should not be released into the environment.

Methods and materials for containment and cleaning up Large spills: Dam up. Soak up with inert absorbent material.

Keep in properly labelled containers.

Small spills: Gently cover the spill with an absorbent towel or

Large spills + Small spills: Keep in suitable, closed containers for disposal. Treat recovered material as described in the sec-

tion "Disposal considerations".

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

: No data available

: To avoid thermal decomposition, do not overheat. Advice on safe handling

Avoid inhalation, ingestion and contact with skin and eyes.

Use only with adequate ventilation. For personal protection see section 8.

Conditions for safe storage Keep away from heat and sources of ignition.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Store at room temperature. Store in original container.

To maintain product quality, do not store in heat or direct sun-

light.

Recommended storage tem-

: < 25 °C

perature

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Components	CAS-No.
Hydrocarbon solvent	Not Assigned



Version Revision Date: SDS Number: Date of last issue: 2015/06/05 1.3 2015/07/15 100000011596 Date of first issue: 2015/06/02

Engineering measures : All personal protective equipment should be based on a risk

assessment. Consult a Environment Health Safety expert if

necessary.

Personal protective equipment

Respiratory protection : Engineering controls should always be the primary method of

controlling exposures.

If respiratory protective equipment is needed for certain activities, the type as well as the corresponding protection factor will depend upon the risk assessment and air concentrations, hazards, physical and warning properties of substances pre-

sent.

No personal respiratory protective equipment normally re-

quired.

In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Remarks : Impervious gloves Do not wear cotton gloves.

Eye protection : Safety goggles

Skin and body protection : Wear suitable protective clothing.

Protective measures : The type of protective equipment must be selected based on

the Environmental Health and Safety risk assessment. Consult a Environmental Health and Safety expert if necessary.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : purple

Odour : pungent

Boiling point/boiling range : 113 - 190 °C

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : soluble

Solvent: Acetone

SECTION 10. STABILITY AND REACTIVITY



Version Revision Date: SDS Number: Date of last issue: 2015/06/05 1.3 2015/07/15 100000011596 Date of first issue: 2015/06/02

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reac-

tions

: Polymerisation can occur.

Conditions to avoid : To avoid thermal decomposition, do not overheat.

Heat, flames and sparks. Exposure to moisture Exposure to sunlight.

Incompatible materials : Water

Amines

Ammonium compounds

Strong bases

Hazardous decomposition

products

Carbon oxides

Nitrogen

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

No data available

Skin corrosion/irritation

Components:

Hydrocarbon solvent Result: Skin irritation

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.



Version Revision Date: SDS Number: Date of last issue: 2015/06/05 1.3 2015/07/15 100000011596 Date of first issue: 2015/06/02

Reproductive toxicity

No data available

STOT - single exposure

Components:

Hydrocarbon solvent

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT - repeated exposure

No data available

Repeated dose toxicity

No data available

Aspiration toxicity

Components:

Hydrocarbon solvent

May be fatal if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

Product:

Biodegradability : Result: Inherently biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).



Version Revision Date: SDS Number: Date of last issue: 2015/06/05 1.3 2015/07/15 100000011596 Date of first issue: 2015/06/02

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with National, Federal, State and Local regula-

tions.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

DOT

UN number : 1993

Description of the goods : Flammable liquids, n.o.s.

(Hydrocarbon solvent)

Class : 3
Packing group : II
Labels : 3
Emergency Response : 128

Guidebook Number

Environmentally hazardous : no

IATA

UN number : 1993

Description of the goods : Flammable liquid, n.o.s.

(Hydrocarbon solvent)

Class : 3
Packing group : II
Labels : 3
Packing instruction (CAO) : 364
Packing instruction (PAX and : 353

CAO)

Packing instruction (LQ) : Y341 Environmentally hazardous : no

IMDG

UN number : 1993

Description of the goods : FLAMMABLE LIQUID, N.O.S.

(Hydrocarbon solvent)

Class : 3
Packing group : II
Labels : 3
EmS Number 1 : F-E
EmS Number 2 : S-E
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



Version Revision Date: SDS Number: Date of last issue: 2015/06/05 1.3 2015/07/15 100000011596 Date of first issue: 2015/06/02

Pollution category Ship type

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : No chemicals in this material are subject to the reporting re-

quirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

Hydrocarbon solvent	Not Assigned	10 - 20 %		
Pennsylvania Right To Know				
2-octyl cyanoacrylate	133978-15-1	70 - 90 %		
Hydrocarbon solvent	Not Assigned	10 - 20 %		
New Jersey Right To Know				
2-octyl cyanoacrylate	133978-15-1	70 - 90 %		
Hydrocarbon solvent	Not Assigned	10 - 20 %		

California Prop 65 : This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other re-

productive harm.

Other regulations : Restricted to professional users.

This product is not subject to TSCA and TSCA 12(b) Export notification because Food, Drugs and cosmetic products are



Version 1.3

Revision Date: 2015/07/15

SDS Number: 100000011596

Date of last issue: 2015/06/05 Date of first issue: 2015/06/02

exempt.

SECTION 16. OTHER INFORMATION

Further information

NFPA:

Flammability

Special hazard.

HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 2015/07/15

Date and Number Formats

This document uses the following notation for printing dates and numbers:

 Date:
 Dec 31th, 2012
 as
 2012/12/31

 Numbers:
 123456,78
 as
 123,456.78

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN