



## 1. Product and Company Identification

<b>Product Name</b>	<b>Evap Pow'R C (4168)</b>
<b>CAS #</b>	Mixture
<b>Product use</b>	Evaporator Coil Cleaner
<b>Manufacturer</b>	Nu-Calgon 2008 Altom Court St. Louis, MO 63146 US Phone: 314-469-7000 / 800-554-5499 Emergency Phone: 1-800-424-9300 (CHEMTREC)

## 2. Hazards Identification

<b>Emergency overview</b>	CAUTION MAY CAUSE SKIN IRRITATION. MAY CAUSE EYE IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION.
<b>Potential short term health effects</b>	
<b>Routes of exposure</b>	Eye, Skin contact, Skin absorption, Inhalation, Ingestion.
<b>Eyes</b>	May cause irritation.
<b>Skin</b>	May cause irritation. May be absorbed through the skin.
<b>NIOSH - Pocket Guide - Skin Notations</b>	
Ethylene glycol monobutyl ether    111-76-2	Potential for dermal absorption
<b>Inhalation</b>	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).
<b>Ingestion</b>	May cause stomach distress, nausea or vomiting.
<b>Target organs</b>	Blood. Eyes. Kidney. Liver. Respiratory system. Skin.
<b>Chronic effects</b>	Prolonged or repeated exposure can cause drying, defatting and dermatitis.
<b>Signs and symptoms</b>	Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
<b>OSHA Regulatory Status</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
<b>Potential environmental effects</b>	Components of this product have been identified as having potential environmental concerns.

## 3. Composition / Information on Ingredients

<b>Ingredient(s)</b>	<b>CAS #</b>	<b>Percent</b>
Ethylene glycol monobutyl ether	111-76-2	3 - 7
Sodium xylene sulphonate	1300-72-7	3 - 7
Alcohols, C12-15, ethoxylated propoxylated	68551-13-3	1 - 5

## 4. First Aid Measures

<b>First aid procedures</b>	
<b>Eye contact</b>	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.
<b>Skin contact</b>	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
<b>Inhalation</b>	Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
<b>Ingestion</b>	Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
<b>Notes to physician</b>	Symptoms may be delayed.

**General advice**

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

---

## 5. Fire Fighting Measures

---

<b>Flammable properties</b>	Not flammable by WHMIS/OSHA criteria.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water spray. Fog. Dry chemical. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	Not available
<b>Protection of firefighters</b>	
<b>Specific hazards arising from the chemical</b>	Not available
<b>Protective equipment for firefighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon. Oxides of sulphur.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	Not available
<b>Sensitivity to static discharge</b>	Not available

---

## 6. Accidental Release Measures

---

<b>Personal precautions</b>	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
<b>Environmental precautions</b>	Do not discharge into lakes, streams, ponds or public waters.
<b>Methods for containment</b>	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
<b>Methods for cleaning up</b>	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

---

## 7. Handling and Storage

---

<b>Handling</b>	Use good industrial hygiene practices in handling this material. When using do not eat or drink. Avoid contact with skin and clothing. Avoid contact with eyes. Avoid breathing vapors or mists of this product. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling.
<b>Storage</b>	Keep out of reach of children. Store in a closed container away from incompatible materials.

## 8. Exposure Controls / Personal Protection

Exposure limits	
Ingredient(s)	Exposure Limits
Alcohols, C12-15, ethoxylated propoxylated	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Ethylene glycol monobutyl ether	<b>ACGIH-TLV</b> TWA: 20 ppm <b>OSHA-PEL</b> TWA: 50 ppm
Sodium xylene sulphonate	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
<b>Engineering controls</b>	General ventilation normally adequate.
<b>Personal protective equipment</b>	
<b>Eye / face protection</b>	Wear safety glasses with side shields.
<b>Hand protection</b>	Rubber gloves. Confirm with a reputable supplier first.
<b>Skin and body protection</b>	As required by employer code.
<b>Respiratory protection</b>	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

## 9. Physical and Chemical Properties

<b>Appearance</b>	Clear.
<b>Color</b>	Green
<b>Form</b>	Liquid
<b>Odor</b>	butyl
<b>Odor threshold</b>	Not available
<b>Physical state</b>	Liquid
<b>pH</b>	8 (Concentrate)
<b>Melting point</b>	Not available
<b>Freezing point</b>	32.00 °F (0 °C)
<b>Boiling point</b>	212.00 °F (100 °C)
<b>Pour point</b>	Not available
<b>Evaporation rate</b>	Not available
<b>Flash point</b>	None to boiling
<b>Auto-ignition temperature</b>	Not available
<b>Flammability limits in air, lower, % by volume</b>	Not available
<b>Flammability limits in air, upper, % by volume</b>	Not available
<b>Vapor pressure</b>	Not available
<b>Vapor density</b>	Not available
<b>Specific gravity</b>	1.02
<b>Octanol/water coefficient</b>	Not available
<b>Solubility (H2O)</b>	Complete
<b>VOC (Weight %)</b>	5.3
<b>Viscosity</b>	Not available
<b>Percent volatile</b>	91

## 10. Stability and Reactivity

<b>Reactivity</b>	Reacts vigorously with acids.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Acids. Oxidizers.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Oxides of sulphur.

## 11. Toxicological Information

### Component analysis - LC50

Ingredient(s)	LC50
Alcohols, C12-15, ethoxylated propoxylated	Not available
Ethylene glycol monobutyl ether	2.21 mg/l/4h rat
Sodium xylene sulphonate	Not available

### Component analysis - Oral LD50

Ingredient(s)	LD50
Alcohols, C12-15, ethoxylated propoxylated	1200 mg/kg rat
Ethylene glycol monobutyl ether	470 mg/kg rat; 320 mg/kg rabbit
Sodium xylene sulphonate	7200 mg/kg rat

### Effects of acute exposure

<b>Eye</b>	May cause irritation.
<b>Skin</b>	May cause irritation. May be absorbed through the skin.

### NIOSH - Pocket Guide - Skin Notations

Ethylene glycol monobutyl ether	111-76-2	Potential for dermal absorption
---------------------------------	----------	---------------------------------

**Inhalation** Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).

**Ingestion** May cause stomach distress, nausea or vomiting.

**Sensitization** Non-hazardous by WHMIS/OSHA criteria.

**Chronic effects** Non-hazardous by WHMIS/OSHA criteria.

**Carcinogenicity** See below.

### ACGIH - Threshold Limit Values - Carcinogens

Ethylene glycol monobutyl ether	111-76-2	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
---------------------------------	----------	---

### IARC - Group 3 (Not Classifiable)

Ethylene glycol monobutyl ether	111-76-2	Monograph 88 [2006]
---------------------------------	----------	---------------------

**Mutagenicity** Non-hazardous by WHMIS/OSHA criteria.

**Reproductive effects** Non-hazardous by WHMIS/OSHA criteria.

**Teratogenicity** Non-hazardous by WHMIS/OSHA criteria.

**Name of Toxicologically Synergistic Products** Not available

## 12. Ecological Information

**Ecotoxicity** Components of this product have been identified as having potential environmental concerns.

### Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Ethylene glycol monobutyl ether	111-76-2	96 Hr LC50 <i>Lepomis macrochirus</i> : 1490 mg/L [static]; 96 Hr LC50 <i>Lepomis macrochirus</i> : 2950 mg/L
---------------------------------	----------	---

### Ecotoxicity - Water Flea - Acute Toxicity Data

Ethylene glycol monobutyl ether	111-76-2	24 Hr EC50 <i>Daphnia magna</i> : 1698 - 1940 mg/L; 48 Hr EC50 <i>Daphnia magna</i> : >1000 mg/L
---------------------------------	----------	--

**Persistence / degradability** Not available

**Bioaccumulation / accumulation** Not available

**Mobility in environmental media** Not available

**Environmental effects** Not available

<b>Aquatic toxicity</b>	Not available
<b>Partition coefficient</b>	Not available
<b>Chemical fate information</b>	Not available
<b>Other adverse effects</b>	Not available

### 13. Disposal Considerations

<b>Disposal instructions</b>	Dispose in accordance with all applicable regulations.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

### 14. Transport Information

#### U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

#### Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

### 15. Regulatory Information

<b>Canadian federal regulations</b>	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.
-------------------------------------	---

#### Canada - CEPA - Schedule I - List of Toxic Substances

Ethylene glycol monobutyl ether 111-76-2 Present

#### Canada - WHMIS - Ingredient Disclosure List

Ethylene glycol monobutyl ether 111-76-2 1 %

**WHMIS status** Controlled

**WHMIS classification** Class D - Division 2B

**WHMIS labeling**



#### Occupational Safety and Health Administration (OSHA)

**29 CFR 1910.1200 hazardous chemical** Yes

**US Federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### CERCLA (Superfund) reportable quantity

None

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**Section 302 extremely hazardous substance** No

**Section 311 hazardous chemical** Yes

**Clean Air Act (CAA)** Not available

**Clean Water Act (CWA)** Not available

**State regulations**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances**

Ethylene glycol monobutyl ether 111-76-2 Present

**U.S. - Massachusetts - Right To Know List**

Ethylene glycol monobutyl ether 111-76-2 Present

**U.S. - Minnesota - Hazardous Substance List**

Ethylene glycol monobutyl ether 111-76-2 Skin

**U.S. - New Jersey - Right to Know Hazardous Substance List**

Ethylene glycol monobutyl ether 111-76-2 sn 0275

**U.S. - Pennsylvania - RTK (Right to Know) List**

Ethylene glycol monobutyl ether 111-76-2 Present

**U.S. - Rhode Island - Hazardous Substance List**

Ethylene glycol monobutyl ether 111-76-2 Toxic (skin)

**Inventory name**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other Information

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	0
Physical Hazard	0
Personal Protection	X

**Disclaimer**

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

13-Jun-2011

**Effective date**

31-Jul-2011

**Expiry date**

31-Jul-2014

**Prepared by**

Nu-Calgon Technical Service (314) 469-7000

**Other information**

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.